

Variable Reluctance Speed Sensors for Use in Explosive Atmospheres North America Cl 1, Div 2 & Cl 1, Zone 2

GREEN LINE INDUSTRIAL SPEED SENSORS

Product ID

Type #	Product #	Drawing #
EX10A	385Z-05588	114531
EX12A	385Z-05570	115725
EX12A35	385Z-05571	115725
EX38A	385Z-05566	115515
EX58AM	385Z-05554	115516
EX58AM25	385Z-05555	115516
EX58AM40	385Z-05556	115516
EX10S	385Z-05589	114534
EX38S	385Z-05567	114526
EX58S	385Z-05559	114465
EX58S25	385Z-05560	114465
EX58S40	385Z-05561	114465

General

Function

These Greenline variable reluctance (VR) speed sensors are certified for use in explosive atmospheres. They consist of an iron core, an inductive coil, and a permanent magnet. A ferrous pole wheel passing the sensor face changes the magnetic field strength, resulting in an AC voltage being induced in the coil. The frequency of the output signal is proportional to the speed of the moving target. The amplitude of the signal depends on speed, air gap, geometry of target, magnetic properties of target material, and the electrical load. VR sensors, also known as passive or electromagnetic sensors, do not require an external supply.

Certification

This sensor is CSA listed for use in hazardous locations.

Class I, Div 2, Groups A, B, C & D, CAN & US
Class I, Zone 2 IIC CAN and Class I, Zone 2 IIB US
Output rated:

o 30.0Vac, 10.0mA nominal.

Safety Information

The speed sensors are certified for applications in areas with explosive atmospheres according to CSA standards. These types are to be duly used in undamaged and clean condition. Modifications of sensors are prohibited if not expressly listed in this operating instruction.

ENGLISH:

WARNING – Explosion Hazard. Do not connect or disconnect this equipment unless power has been removed or the area is known to be nonhazardous.

WARNING – Explosion Hazard. Substitution of components may impair suitability for Class I, Division 2.

The CSA Certificate of Compliance is an integral part of these operating instructions. All limitations and requirements must be fulfilled.

/!\ (ISO 3864, No. B.3.1)

WARNING – Symbol indicates that all the specifications (electrical rating, required cautions, other related information) in the operating instructions have to be considered.

Last change by:	Checked by:	Document status:	Document Nr.:	Document Revision:
TLI, 21.12.2015	MT, 21.12.2015	APPROVED	118332	008
www.jaquet.com info@jaqu		et.com Te	el.: +41 61 306 88 2	22 Page 1/8





FRANCAIS

AVERTISSEMENT – Danger d'explosion. Ne pas connecter ou déconnecter cet equipement tant que l'alimentation n'est pas coupée ou que l'environnement soit reconnu comme non-dangereux.

AVERTISSEMENT – Danger d'explosion. La substitution de composants peut rendre cet equipement impropre à une utilisation en Classe I, Division 2.

Le certificat de conformité CSA fait partie intégrante de ce manuel d'utilisation; Les exigences et restrictions mentionnées dans celui-ci doivent être respectées.

(ISO 3864, No. B.3.1)

AVERTISSEMENT – Ce symbole indique que les informations (spécification électrique, précautions nécessaire ou autres informations afférentes) du manuel d'utilisation doivent être considérées et respectées.



OPERATING INSTRUCTIONS

Coil properties	Inductance @ 1 kHz: 170 mH ± 10%					
Con proportion	Resistance: 850 Ohm ± 10%					
	Magnet polarity: north pole towards front face					
	Pole piece: diameter 2.7 mm					
Polarity	Upon approach of ferrous metal, the signal pin is positive with respect to GNI					
Signal output	Using a sensor together with a toothed wheel having an involute gear form w	ill				
	generate a sinusoidal signal. Analysing the frequency will determine the	,				
	rotational speed. The signal amplitude is proportional to the rate of change or magnetic flux generated by the pole wheel. In principle, it depends on the	t				
	following parameters:					
	Circumferencial velocity of the toothed wheel					
	Geometry of the toothed wheel, typically given by module or diametral pito	ch				
	Air gap between toothed wheel and sensor's front surface					
	Load impedance applied to the sensor					
	The figure below show the maximum Peak-Peak voltage, which can be achie	evec				
	with the different sensor models. Please note that the min/max signal amplitu					
	should be dimensioned in such a way as to be compatible with the					
	instrumentation (trigger level and max I/P voltage). A trigger level of 50mVri	ms				
	is used as standard with Jaquet tachometers. The maximal signal output must be limited according to the limits given	ı in				
	the Ceritificate of Compliance.					
	Typical output voltage (reference speed 10 m/s, 100 kOhm load)					
	100.00					
	5					
	g 10.00					
	<u>a</u>	M = 0.5 M = 1.0				
	as a sale	M = 2.0 M = 4.0				
	A 1.00	VI - 4.0				
	B B B B B B B B B B B B B B B B B B B					
	0.10					
	0 0.5 1 1.5 2 2.5 3 3.5 4					
	Air gap (mm)					
	Legend:					
	M=1: Gear with module 0.5 mm corresponds to 50.8 DP M=1: Gear with module 1 mm corresponds to 25.4 DP M=2: Gear with module 2 mm corresponds to 12.7 DP					
	M=4: Gear with module 4 mm corresponds to 6.4 DP					
Frequency range	Up to 20 kHz					
	Lower limit depending on application (typically in the order of a few Hz)					
Housing	Tightening torque:					
loading	EX10 M10x1, tightening torque: max. 10 Nm					
. rodoling	EV12 M12v1 tightoning torque: may 12 Nm					
Todollig	EX12 M12x1, tightening torque: max. 12 Nm EX38 3/8"-24 UNF-2A tightening torque: max. 10 Nm					
louding	EX12 M12x1, tightening torque: max. 12 Nm EX38 3/8"-24 UNF-2A, tightening torque: max. 10 Nm EX58 5/8"-18 UNF-2A, tightening torque: max. 35 Nm					
Todollig	EX38 3/8"-24 UNF-2A, tightening torque: max. 10 Nm EX58 5/8"-18 UNF-2A, tightening torque: max. 35 Nm					
Todoling	EX38 3/8"-24 UNF-2A, tightening torque: max. 10 Nm EX58 5/8"-18 UNF-2A, tightening torque: max. 35 Nm Thread length:					
Todomy	EX38 3/8"-24 UNF-2A, tightening torque: max. 10 Nm EX58 5/8"-18 UNF-2A, tightening torque: max. 35 Nm Thread length: xxxxx25: 2.5"					
Todoling	EX38 3/8"-24 UNF-2A, tightening torque: max. 10 Nm EX58 5/8"-18 UNF-2A, tightening torque: max. 35 Nm Thread length:					

www.jaquet.con	n info@jaqu	et.com Te	el.: +41 61 306 88 2	22 Page 3/8
TLI, 21.12.2015	MT, 21.12.2015	APPROVED	118332	008
Last change by:	Checked by:	Document status:	Document Nr.:	Document Revision:



OPERATING INSTRUCTIONS

Connection	Type A: Type AM: Connector: M12x1 thread, 4 pins, black Connector mates with straight plug MS3106A-10SL-4S, 2 pins Type S: Cable with open leads: 3-wire, 3 x 0.21 mm2 (AWG24), stranded wires, PTFE isolation, green casing, max. outer Ø = 3.9 mm, min. bending radius = 60 mm, cable length according to dimensional drawing			
nsulation	Housing and electronics galvanically isolated (Test: 500 V, 50 Hz for 1 minute)			
Pole wheel	Prerequisite: Toothed wheel of a ferrous material (e.g. Steel 1.0036). Optimal performance with Involute gear Tooth width > 10 mm Side offset < 0.2 mm Eccentricity < 0.2 mm			
Air gap between sensor and coole wheel	Depending on lowest circumferential speed which has to be detected, on trigger level and ex safety parameters. See figure and CSA ex information. WARNING: Setting an airgap which is too small, can result in a hazardous event.			
Operating temperature	-40°C125°C			
Temperature rating for ex usage	T4, according to CSA standards			
Further Information				
Safety	All mechanical installations must be carried out by an expert. General safety requirements have to be met.			
nstallation	The sensor has to be aligned to the pole wheel according to the sensor drawing independent of its rotational orientation. Deviations in positioning may affect the performance and decrease the noise immunity of the sensor. During installation the smallest possible pole wheel to sensor gap should be set. The gap should however be set to prevent the face of the sensor ever touching the pole wheel. A sensor should be mounted with the middle of the face side over the middle of the pole wheel. Dependent upon the wheel width, a certain degree of axial movement is permissible. However, the middle of the sensor must be at minimum in a distance of 3 mm from the edge of the pole wheel under all operating conditions. A solid and vibration free mounting of the sensor is important. Eventual sensor vibration relative to the pole wheel can induce additional output pulses. The sensors are insensitive to oil, grease etc. and can be installed in arduous conditions.			
Wiring	According to sensor drawing.			
	The sensor housing must be connected to protective earth.			
Grounding	The sensor housing must be connected to protective earth.			
Grounding Maintenance	Product cannot be repaired.			
Maintenance	Product cannot be repaired.			

www.jaquet.con	n info@jaqu	et.com Te	el.: +41 61 306 88 2	22 Page 4/8
Last change by: TLI, 21.12.2015	Checked by: MT, 21.12.2015	Document status: APPROVED	Document Nr.: 118332	Document Revision: 008







Certificate of Compliance

Certificate: 2047906 Master Contract: 237563

Project: 70040624 Date Issued: 2015-09-23

Issued to: .Jaquet Technology Group

15 Thannerstrasse Basel, 4009 SWITZERLAND

Attention: Wolfgang Schnell

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US'for Canada and US or with adjacent indicator 'US'for US only or without either indicator for Canada only.



Si-voY

Issued by: **Ghcvnbcw**

Siros Ghanbar-zadeh

PRODUCTS

CLASS - C225802 - PROCESS CONTROL EQUIPMENT-For Hazardous Locations-

CLASS - C225882 - PROCESS CONTROL EQUIPMENT-For Hazardous Locations - Certified to US Standards

CLASS 2258 02 - PROCESS CONTROL EQUIPMENT - For Hazardous Locations

Class I, Division 1 and 2, Groups A, B, C and D; Class II Division 1 and 2, Groups E, F, and G; Class III: Models EX34H, EX34H35, EX58H, EX58H35, EX58H35(5m) and EX58H85 Electromagnetic Speed Sensor, outpul rated

13.0Vac, lO.0mA nominal.

CLASS 2258 82- PROCESS CONTROL EQUIPMENT- For Hazardous Locations - CERTIFIED TO U.S.STANDARDS

Class I, Division 1 and 2, Groups C and D; Class I iDivision 1 and 2, Groups E, l', and G; Class III: Models EX34H, EX34H35, EX58H, EX58H35, EX58H35(5m) and EX58H85 Electromagnetic Speed Sensor, outpul rated

13.0Vac, 10.0mA nominal.

D D 507 Rev. 2012-05-22

Last change by: TLI, 21.12.2015 | Checked by: MT, 21.12.2015 | Document status: APPROVED | Document Nr.: Document Revision: 118332 | 008 |

www.jaquet.com info@jaquet.com Tel.:+41 61 306 88 22 | Page 5/8







Certiticate: 2047906 Group Master Contract: 237563
Project: 70040624 Date Issued: 2015-09-23

CLASS 2258 02-PROCESS CONTROL EQUIPMENT- For Hazardous Locations

CLASS 2258 82 - PROCESS CONTROL EQUIPMENT - For Hazardous Locations - CERTIFIED TO U.S. STANDARDS

Class I, Division 2, Groups A, B, C and D:

Models EXIOA, EXIOS, EX12A, EX12A35, EX38A, EX38S, EX58AM, EX58AM25, EX58AM40, EX58S, EX58S25 and EX58S40 Electromagnetic Speed Sensor, outpul rated 30.0Vac/10.0 mA nominal.

Notes:

- 1) Set-up must limit outpul valtage to 30Vac max.
- 2) Certified as Component and required to be housed in suitable enclosure where the final combination is subjected to acceptance by the local Authority Having .Turisdiction.

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No. 0-10 (R 2015) CSA C22.2 No. 30-M1986 (R 2012) CSA C22.2 No. 142-MI987 (R 2014) CSA C22.2 No. 213-M1987 (R 2013)

CSA C22.2 No 25-1966 (R 2014)

UL 916 (4th Ed.) (R2014) UL 1203 (5th Ed.) (R2015)

UL 1604 (3rd Ed.) (1994) (R2004)

ANSI/TSA-12.12.01-2013

- General Requirements Canadian Electrical Code, Part Ii
- Explosion-Proof Enclosures für Use in Class I Hazardous Locations
- Process Control Equipment
- Non-Incendive Elecllical Equipment for Use in Class I, Division 2 Hazardous Locations
- Enclosures ±or Use in Class liGroups E, Fand G Hazardous Locations
- Energy Management Equipment
- Explosion-Proof and Dust-Ignition-Proof Electtical Equipment for Use in Hazardous (Classified) Locations
- Electrical Equipment for Use in Class I and II, Division 2; Class TT Hazardous (Ciassified) Localions
- Nonincendive Electrical Equipment for Use in Class I and TI,
 Division 2 and Class TII, Divisions 1 and 2 Hazardous (Ciassified)
 Locations

DQD 507 Rev. 2012-05-22 Page 2

Last change by: Checked by: Document status: Document Nr.: Document Revision: 118332 008

www.jaquet.com info@jaquet.com Tel.:+41 61 306 88 22 Page 6/8



OPERATING INSTRUCTIONS



 Certificate:
 2047906
 Master Contract:
 237563

 Project:
 70040624
 Date Issued:
 2015-09-23

MARKINGS

The manufacturer is required to apply the following markings:

- Products shall be marked with the markings specified by the particular product standard.
- Products certified for Canada shall have all Cantion and Warning markings in both English and French.

Additional bilingual markings not covered by the product standard(s) may be required by the Authorities Having Jurisdiction. It is the responsibility of the manufacturer to provide and apply these additional markings, where applicable, in accordance with the requirements of those authorities.

The following reduced markings are etched or permanently engraved on the sensor housing, or provided on an etched meta) nameplate, permanently attached with non-removable fasteners:

- Manufacturer's name "Jaquet Technology Group" or CSA Master Contract Number "237563" in lieu of manufacturer's name, adjacent to the CSA Mark.
- Model number: As specified in the PRODUCTS section, above.
- The CSA Mark, with or without adjacent "C" and "US" indicators, as shownon the Certificate of Conformity:
- · Hazardous Locations designation: As specified in the PRODUCTS section, above. (may be abbreviated)

An installation matmal or data sheet shall be supplied with each unit. The following minimum content shall be included in this document:

- Specification for appropriate mounting, grounding, and wiring, including definition of lead color functions.
- The following words, or suitable equivalent:
 - o This equipment (EX34H, EX34H35, EX58H, EX58H35, EX58H35 (5m) and EX58H85) is suitable for installation in Class I, Division1 and 2, Group A, B, C and D hazardous locations or nonhazardous locations only.
 - o This equipment (EXIOA, EXIOS, EX12A, EX12A35, EX38A, EX38S, EX58AM, EX58AM25, EX58AM40, EX58S, EX58S25 and EX58S40) is suitable for installation in Class I, Division 2, Group A, B, C and D hazardous locations or nonhazardous locations on ! y.
 - WARNING Explosion Hazard. Do not connect or disconnect this equipment unless power has been removed or the area is known to be nonhazardous.
 - WARNING Explosion Hazard. Substitution of components may impair suitability for Class I, Division 2.
 - o Electrical rating

DQD 507 Rev. 2012-05-22



OPERATING INSTRUCTIONS



 Certificate:
 2047906
 Master Contract:
 237563

 Project:
 70040624
 Date Issued:
 2015-09-23

Based on TN-076

Optional Hazardous Location designation of CI I Zone 1 IIC CAN and CI I Zone 1 IIB US can also appear on the following speed sensor models:

EX58H, EX58H35, EX58H35 (Sm), EX58H85, EX34H, EX34H35

Optional Hazardous Location designation of CI I Zone 2 IIC CAN and CI I Zone 2 IIB US can also appear on lhe following speed sensor models:

EXIOA, EXIOS, EX12A, EX12A35, EX38A, EX38S, EX58AM, EX58AM25, EX58AM40, EX58S, EX58S25 and EX58S40

D D 507 Rev. 2012-05-22